This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

U OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number	5097	(717/124-167,106-108,114-116,118,120-121).	CUEPAT;	2004/09/23
1	3057	(/1//124 10//100 100/114-110/110/120 121/.	US-PGPUB	13:44
2	2832	(719/310,315-316,328,330-332).ccls.	USPAT;	2004/09/23
		·	US-PGPUB	13:46
3	7594	((717/124-167, 106-108, 114-116, 118, 120-121)	. USBAT)	2004/09/23
		((719/310,315-316,328,330-332).CCLS.)	US-PGPUB; EPO; JPO;	13:46
			DERWENT;	
-			IBM TDB	
4	6121	(((717/124-167,106-108,114-116,118,120-121		2004/09/23
		((719/310,315-316,328,330-332).CCLS.)) and @ad<=20011213	US-PGPUB; EPO; JPO;	13:59
		Alla Gaux - 20011213	DERWENT;	
			IBM TDB	
5	4	1 1	USPAT;	2004/09/23
		unwind\$3	US-PGPUB;	14:39
			EPO; JPO; DERWENT;	
			IBM TDB	
6	50	(("5815720") or ("6158047") or	USPAT	2004/09/23
1		("5386508") or ("5457454") or ("5862385")		14:35
		or ("5581696") or ("6085029") or	٠	*
		("5274804") or ("5911073") or ("6009269") or ("5590331") or ("4580217") or		
		("5768586") or ("4409591") or ("4439761")		
		or ("5309566") or ("5479614") or		
		("5649204") or ("5815708") or ("5854936")		
		or ("5940619") or ("6134671") or		
		("6301705") or ("6317592") or ("6397379") or ("6427161") or ("6430595") or		
		("6438744") or ("6442752") or ("6456308")		
		or ("5893000") or ("6070019") or		
		("6198884") or ("5768592") or ("6106571")		
		or ("6192511") or ("5805863") or ("5838810") or ("6154857") or ("5450555")		i
		or ("5707055") or ("6148724") or		
		("6289446") or ("6131718") or ("6163815")		÷
		or ("6259685") or ("6272348") or		
	1	("6459746") or ("6477200") or	•	
7	3223	("4297702")).PN. dynamic\$4 near2 regist\$6	USPAT;	2004/09/23
, ·			US-PGPUB;	14:40
			EPO; JPO;	
			DERWENT;	
8	113	 (dynamic\$4 near2 regist\$6) with code	IBM_TDB USPAT;	2004/09/23
		(allianted) Heats reather (a) Michigan	US-PGPUB;	14:41
	1		EPO; JPO;	
			DERWENT;	`
9	10	((dynamic\$4 near2 regist\$6) with code)	IBM_TDB USPAT;	2004/09/23
	10	and API	US-PGPUB;	14:41
			EPO; JPO;	
			DERWENT;	
10	7	///dynamics/ noar2 regists()	IBM_TDB	2004/00/22
10	·	(((dynamic\$4 near2 regist\$6) with code) and API) and @ad<=20011213	USPAT; US-PGPUB;	2004/09/23 14:47
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

			Lugara	T2004/09/22
11	20	((("5815720") or ("6158047") or	USPAT;	2004/09/23 15:04
		("5386508") or ("5457454") or ("5862385")	US-PGPUB;	15.04
		or ("5581696") or ("6085029") or	EPO; JPO;	1
		("5274804") or ("5911073") or ("6009269")	DERWENT;	
		or ("5590331") or ("4580217") or	IBM_TDB	
		("5768586") or ("4409591") or ("4439761")		
		or ("5309566") or ("5479614") or		
		("5649204") or ("5815708") or ("5854936")		
		or ("5940619") or ("6134671") or		
		("6301705") or ("6317592") or ("6397379")		. (3
		or ("6427161") or ("6430595") or		
		("6438744") or ("6442752") or ("6456308")		
		or ("5893000") or ("6070019") or		
	i	("6198884") or ("5768592") or ("6106571")		
		or ("6192511") or ("5805863") or		
		("5838810") or ("6154857") or ("5450555")		
		or ("5707055") or ("6148724") or ("6289446") or ("6131718") or ("6163815")		
		or ("6259685") or ("6272348") or		
	Į	("6459746") or ("6477200") or		
		("4297702")).PN.) and dynamical\$4 and		
		(unwind\$3 or clean\$3 or revert\$3 or		-
	ļ	remov\$3 or reinstat\$3)		
12	4	1	USPAT;	2004/09/23
12	1	("5386508") or ("5457454") or ("5862385")	US-PGPUB;	15:08
		or ("5581696") or ("6085029") or	EPO; JPO;	
	1	("5274804") or ("5911073") or ("6009269")	DERWENT;	
		or ("5590331") or ("4580217") or	IBM TDB	
		("5768586") or ("4409591") or ("4439761")	_	
		or ("5309566") or ("5479614") or		
		("5649204") or ("5815708") or ("5854936")		
		or ("5940619") or ("6134671") or		
		("6301705") or ("6317592") or ("6397379")		Į.
		or ("6427161") or ("6430595") or		j
		("6438744") or ("6442752") or ("6456308")		
		or ("5893000") or ("6070019") or		
		("6198884") or ("5768592") or ("6106571")		
		or ("6192511") or ("5805863") or		1
		("5838810") or ("6154857") or ("5450555")		
		or ("5707055") or ("6148724") or		
		("6289446") or ("6131718") or ("6163815")		
İ	•	or ("6259685") or ("6272348") or		
		("6459746") or ("6477200") or	,	
1		("4297702")).PN.) and (regist\$6 with		
I	1	dynamic\$4)	ı	1

13	30	((("5815720") or ("6158047") or	USPAT;	2004/09/23
10		("5386508") or ("5457454") or ("5862385")	US-PGPUB;	15:08
		or ("5581696") or ("6085029") or	EPO; JPO;	
		("5274804") or ("5911073") or ("6009269")	DERWENT;	
		or ("5590331") or ("4580217") or	IBM_TDB	
		("5768586") or ("4409591") or ("4439761")	_	
		or ("5309566") or ("5479614") or	,	
		("5649204") or ("5815708") or ("5854936")		
		or ("5940619") or ("6134671") or	,	
		("6301705") or ("6317592") or ("6397379")		
		or ("6427161") or ("6430595") or	1	
		("6438744") or ("6442752") or ("6456308")		l .
				1
		or ("5893000") or ("6070019") or		
		("6198884") or ("5768592") or ("6106571")		
	·	or ("6192511") or ("5805863") or		
		("5838810") or ("6154857") or ("5450555")		
	1	or ("5707055") or ("6148724") or		
		("6289446") or ("6131718") or ("6163815")		
		or ("6259685") or ("6272348") or		
		("6459746") or ("6477200") or		
		("4297702")).PN.) not (((("5815720") or	1	
		("6158047") or ("5386508") or ("5457454")		1
		or ("5862385") or ("5581696") or		
		("6085029") or ("5274804") or ("5911073")		
		or ("6009269") or ("5590331") or	1	-
		("4580217") or ("5768586") or ("4409591")		
		or ("4439761") or ("5309566") or		
		("5479614") or ("5649204") or ("5815708")		
		or ("5854936") or ("5940619") or		
		("6134671") or ("6301705") or ("6317592")		
		or ("6397379") or ("6427161") or		
		("6430595") or ("6438744") or ("6442752")		1
		or ("6456308") or ("5893000") or		i
		("6070019") or ("6198884") or ("5768592")		
		or ("6106571") or ("6192511") or		
		("5805863") or ("5838810") or ("6154857")		
	1	or ("5450555") or ("5707055") or	1	
		("6148724") or ("6289446") or ("6131718")		
		or ("6163815") or ("6259685") or		
	1	("6272348") or ("6459746") or ("6477200")		
		or ("4297702")).PN.) and dynamical\$4 and		**
		or (429/02/).PN.) and dynamical 34 and		
		(unwind\$3 or clean\$3 or revert\$3 or		
	1	remov\$3 or reinstat\$3))		1

14	17	(((("5815720") or ("6158047") or	USPAT;	2004/09/23
	Ξ,	("5386508") or ("5457454") or ("5862385")	US-PGPUB;	15:39
1		or ("5581696") or ("6085029") or	EPO; JPO;	
		("5274804") or ("5911073") or ("6009269")	DERWENT;	
		or ("5590331") or ("4580217") or	IBM TDB	
		("5768586") or ("4409591") or ("4439761")	_	
		or ("5309566") or ("5479614") or		
ļ		("5649204") or ("5815708") or ("5854936")		,
		or ("5940619") or ("6134671") or		
		("6301705") or ("6317592") or ("6397379")	 	ļ,
ļ		or ("6427161") or ("6430595") or .		
		("6438744") or ("6442752") or ("6456308")		
		or ("5893000") or ("6070019") or		
- [("6198884") or ("5768592") or ("6106571")		
		or ("6192511") or ("5805863") or		
		("5838810") or ("6154857") or ("5450555")		
		or ("5707055") or ("6148724") or		1
		("6289446") or ("6131718") or ("6163815")		
		or ("6259685") or ("6272348") or		
		("6459746") or ("6477200") or		
l	•	("4297702")).PN.) not (((("5815720") or		· .
		("6158047") or ("5386508") or ("5457454")		
		or ("5862385") or ("5581696") or		
ļ		("6085029") or ("5274804") or ("5911073")		
		or ("6009269") or ("5590331") or		
		("4580217") or ("5768586") or ("4409591")		
		or ("4439761") or ("5309566") or		
		("5479614") or ("5649204") or ("5815708")		
		or ("5854936") or ("5940619") or		· ·
		("6134671") or ("6301705") or ("6317592")		
Ī		or ("6397379") or ("6427161") or		
		("6430595") or ("6438744") or ("6442752")	ŀ	
		or ("6456308") or ("5893000") or	1	
		("6070019") or ("6198884") or ("5768592")		
	*	or ("6106571") or ("6192511") or		
		("5805863") or ("5838810") or ("6154857")		
		or ("5450555") or ("5707055") or	l .	
1		("6148724") or ("6289446") or ("6131718")		
]		or ("6163815") or ("6259685") or		
]		("6272348") or ("6459746") or ("6477200")		
Į		or ("4297702")).PN.) and dynamical\$4 and		
l		(unwind\$3 or clean\$3 or revert\$3 or		
		remov\$3 or reinstat\$3))) and regist\$6	İ	1

7.5		///0501530000	TICESE	1 2004 (00 (02
15	13	((("5815720") or ("6158047") or ("5862385")	USPAT;	2004/09/23 15:39
1	\	("5386508") or ("5457454") or ("5862385")	US-PGPUB;	12:23
1	1	or ("5581696") or ("6085029") or	EPO; JPO;	
i	\	("5274804") or ("5911073") or ("6009269")	DERWENT;	
ı	ļ .	or ("5590331") or ("4580217") or ("5768586") or ("4409591") or ("4439761")	IBM_TDB	
ı	ļ .	("5/68586") or ("4409591") or ("4439761") or ("5309566") or ("5479614") or	I	
ı	ļ .	or ("5309566") or ("5479614") or ("5649204") or ("5815708") or ("5854936")	I	
1	· 1	or ("5940619") or ("6134671") or	1	
ı	\	("6301705") or ("6317592") or ("6397379")		
ì	1	or ("6427161") or ("6430595") or	I	
ì		("6438744") or ("6442752") or ("6456308")	I	
ì		or ("5893000") or ("6070019") or	I	
ì		("6198884") or ("5768592") or ("6106571")	I	
ì		or ("6192511") or ("5805863") or	I	
ì		("5838810") or ("6154857") or ("5450555")	I	1
ì		or ("5707055") or ("6148724") or	I	1
ì		("6289446") or ("6131718") or ("6163815")	I	
ì		or ("6259685") or ("6272348") or	I	1
ì		("6459746") or ("6477200") or	,	1
• 1		("4297702")).PN.) not (((("5815720") or	I	1
l	-	("6158047") or ("5386508") or ("5457454")	I	1
1		or ("5862385") or ("5581696") or	I	1
i		("6085029") or ("5274804") or ("5911073")		
١		or ("6009269") or ("5590331") or ("4580217") or ("5768586") or ("4409591")	1	
١		("4580217") or ("5768586") or ("4409591")	I	
١		or ("4439761") or ("5309566") or - ("5479614") or ("5649204") or ("5815708")		
١		("5479614") or ("5649204") or ("5815708") or ("5854936") or ("5940619") or		1
١		or ("5854936") or ("5940619") or ("6134671") or ("6301705") or ("6317592")	1	
١		or ("6397379") or ("6427161") or	1	:
١		("6430595") or ("642/161") or ("642752")	1	
١		or ("6456308") or ("5893000") or	1	
١	Į	("6070019") or ("6198884") or ("5768592")	1	
4		or ("6106571") or ("6192511") or	1	
4		("5805863") or ("5838810") or ("6154857")	1	
1		or ("5450555") or ("5707055") or	1	
1		("6148724") or ("6289446") or ("6131718")	1 .	
1		or ("6163815") or ("6259685") or	1	
1		("6272348") or ("6459746") or ("6477200")	1	
ì		or ("4297702")).PN.) and dynamical\$4 and	1	1
1		(unwind\$3 or clean\$3 or revert\$3 or	1	
1		remov\$3 or reinstat\$3)) not	1	
ì		((((("5815720") or ("6158047") or	1	
1		("5386508") or ("5457454") or ("5862385")	1	
1		or ("5581696") or ("6085029") or	I	
ì		("5274804") or ("5911073") or ("6009269")	I	
1		or ("5590331") or ("4580217") or ("5768586") or ("4409591") or ("4439761")	I	
1		("5768586") or ("4409591") or ("4439761") or ("5309566") or ("5479614") or	1	
ì		or ("5309566") or ("5479614") or ("5649204") or ("5815708") or ("5854936")	Į	
1		("5649204") or ("5815708") or ("5854936") or ("5940619") or ("6134671") or	1	
,		or ("5940619") or ("6134671") or ("6301705") or ("6317592") or ("6397379")	1	
ì		("6301/05") or ("631/592") or ("639/3/9") or ("6427161") or ("6430595") or	1	
1		or ("6427161") or ("6430595") or ("6436308")		
ì		or ("5893000") or ("6470019") or	1	1
1		("6198884") or ("5768592") or ("6106571")	1	
,		or ("6192511") or ("5805863") or	1	1
ì		("5838810") or ("6154857") or ("5450555")		
		or ("5707055") or ("6148724") or	1	1
,		("6289446") or ("6131718") or ("6163815")	1	1
ì		or ("6259685") or ("6272348") or	1	1
1		("6459746") or ("6477200") or	1	1
ì		("4297702")).PN.) not (((("5815720") or	1	1
1		("6158047") or ("5386508") or ("5457454")	1	1
1		or ("5862385") or ("5581696") or	1	1
ì		("6085029") or ("5274804") or ("5911073")	1	
1	1	or ("6009269") or ("5590331") or	1	1
•	•	("4580217") or ("5768586") or ("4409591")	1	1
ì		or ("4439761") or ("5309566") or	1	1
1		("5479614") or ("5649204") or ("5815708")	1	1
		or ("5854936") or ("5940619") or		
earch His	story 9	/ /"6134671") ar ("6301705") or ("6317592") / or ("6397379") or ("6427161") or		*
i i	1	or ("64307379") or ("6427161") or ("6430595") or ("6438744") or ("6442752")	1	
:\Apps\~ ¹	st\work	("6430595") or ("6438744") or ("6442752") aces\10016955.wsp		
, b /e/	L - /worksb	1	1	1



Web Images Groups News Froogle more »

register dynamically generated code unwind

Advanced Search Preferences

Web

Results 1 - 10 of about 1,710 for register dynamically generated code unwind . (0.28 secon

Search

libunwind(3)

... through code that has been generated at runtime (eg ... It is important to register the information for all dynamically generated code because otherwise ... www.hpl.hp.com/research/ linux/libunwind/man/libunwind(3).php - 38k - Cached - Similar pages

<u>libunwind-dynamic(3)</u>

... The frame state describes each **register** either by providing its current value (for ... For **dynamically generated code**, the runtime **code** generator must use ... www.hpl.hp.com/research/linux/ libunwind/man/libunwind-dynamic(3).php - 40k - <u>Cached - Similar pages</u>

David Mosberger - RE: [Linux-ia64] problem with unwind info for

... dynamically generated code and, more importantly, since .init gets executed so early, it is likely to be difficult if not impossible to register dynamic unwind ... sources.redhat.com/ml/binutils/2002-02/msq00874.html - 7k - Cached - Similar pages

J. Johnston - RFA: ia64 portion of libunwind patch updated

... bspstore to be after the current **register** frame. ... can happen in corner cases where **dynamically + generated code** falls into ... the page-offset of the **code** is within ... sources.redhat.com/ml/gdb-patches/2003-11/msg00080.html - 28k - <u>Cached - Similar pages</u> [More results from sources.redhat.com]

[PDF] Author Guidelines for 8

File Format: PDF/Adobe Acrobat - View as HTML

... exception, both program stack and **register** stack have ... a program, **unwind** information is **generated** and stored ... the **unwind** information must be **dynamically** updated. ...

hpcil.ustc.edu.cn/doc/caliper.pdf - Similar pages

Exception handling on AMD64 - virtualdub.org

... reuse ESP as an eighth **register**, but that's ... gets executed when the stack **unwind** fails, but ... function to produce tables for **dynamically generated code**, which is ... www.virtualdub.org/blog/pivot/entry.php?id=10 - 12k - Cached - Similar pages

[PDF] Microsoft PowerPoint - ITAS06PS.ppt

File Format: PDF/Adobe Acrobat - View as HTML

... independent **code** (started with 2.1.126, now at 2.3.35) **code** (started with ... Kernel **Register** Usage Kernel **Register** Usage I I Follows SW Conventions standard except ...

www.csee.umbc.edu/help/ architecture/usinglinuxkernel.pdf - Similar pages

[PDF] Interpreter Design for LaTTe

File Format: PDF/Adobe Acrobat - View as HTML

... depth first order 3 when doing **register** allocation and ... the exceptional entry points are **generated** first and ... that were **dynamically** resolved during interpretation ...

laplace.snu.ac.kr/~wacko/papers/latte-interpreter.pdf - Similar pages

The Exception Model

... of our transitions occur through dynamically generated machine code. ... an impact on the quality of the generated code. ... in the discussion of register usage across ... blogs.msdn.com/cbrumme/archive/2003/10/01/51524.aspx - 101k - Sep 21, 2004 - Cached - Similar pages

[PDF] IA IA - - 64 Linux Kernel Internals 64 Linux Kernel Internals

File Format: PDF/Adobe Acrobat - View as HTML

... code (started with 2.1.126, now at 2.3.35) code (started with 2.1 ... Kernel Register Usage Kernel Register Usage Follows SW Conventions standard except: Follows SW ... www.ia64-linux.org/doc/IA64linuxkernel.PDF - Similar pages

G0000000008 le Mext <u>Next</u>

Result Page:

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>

	★ 49 Pon-ung blocker	CI XXXXX CIGALAGE TECH AND FIFTH XXX

register dynamically generated code Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google



Web Images Groups News Froogle more »

register dynamically generated code unwind

Search Advanced So Preferences

Web

Results 11 - 20 of about 1,710 for register dynamically generated code unwind . (0.20 secon

Info: (gxxint) Exception Handling

... 8 above to restore the frame pointer (register 15) is ... code, such that we can dynamically unwind through functions ... This information is generated by the DWARF 2 ... es-sun2.fernuni-hagen.de/cgi-bin/ info2html?(gxxint)Exception%20Handling - 20k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Interpreter Design for LaTTe

File Format: PDF/Adobe Acrobat - View as HTML

... depth first order 3 when doing **register** allocation and ... the exceptional entry points are **generated** first and ... that were **dynamically** resolved during interpretation ... laplace.snu.ac.kr/~wacko/papers/latte-interpreter.pdf - Similar pages

[PDF] Recompilation for Debugging Support in a JIT-Compiler

File Format: PDF/Adobe Acrobat

... minimal but essential information is **generated** when a ... The JIT compiler **dynamically** recompiles the method to ... generator uses a simple **register** allocation scheme ... portal.acm.org/ft_gateway.cfm?id=586100&type=pdf - <u>Similar pages</u>

Low Level Security in Java

... Web browsers to download **code** fragments **dynamically** and then ... registers, use the type of the **register** at the ... The Java language has **generated** much excitement in ... java.sun.com/sfaq/verifier.html - 38k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Monitors and Exceptions: How to Implement Java efficiently

File Format: PDF/Adobe Acrobat - View as HTML

... the exception at run time • Dynamically create a ... returns – At function return if register is non ... by CACAO JIT • Achieved – Reduced generated code by a ... www.cs.rutgers.edu/~ryder/ oosem99/talks/isaila-krall.pdf - Similar pages

LLVM 1.1 Release Notes

... on auto **register** variable with specific **register** specified. ... 1.1 fixed in 1.2: [llvmg++] **Dynamically** initialized constants ... we use this API, **code generated** by the ... llvm.cs.uiuc.edu/releases/1.1/docs/ReleaseNotes.html - 40k - <u>Cached</u> - <u>Similar pages</u>

Proceedings of the Third Symposium on Operating Systems Design and ...

... jmp, register±16K, no, none. ... Paradyn [10] dynamically instruments user programs ... instrumentation, which combines fine-grained splicing with dynamic code generation ... www.usenix.org/publications/library/proceedings/ osdi99/full_papers/tamches/tamches_html/tamches.html - 97k - Cached - Similar pages

[PDF] Just-In-Time Java Compilation for the Itanium Processor

File Format: PDF/Adobe Acrobat - View as HTML


... not taken, **dynamically** taken, and **dynamically** not taken ... without sacrificing the quality of **register** allocation ... affects the quality of the **generated code** as well ... moss.csc.ncsu.edu/pact02/papers/shpeisman207.pdf - Similar pages

3: Seven Tricks for Compiling Persistent Languages - Native Code ...

... is expensive because it **dynamically** maintains stack ... int); int *local_frame; }; **register** struct global_data ... In the **code generation** system which we constructed ... isam.best.vwh.net/publications/bbdv94/bbdv94-3.html - 26k - Cached - Similar pages

Kelley Cook - Delete 500 lines of redunacy from flags.h

... by a cheaper branch, on a count **register**. ... cause large objects to be allocated **dynamically**. ... frame_pointer_needed; -/* Nonzero if the **generated code** should trap ... gcc.gnu.org/ml/gcc-patches/2004-07/msg00985.html - 33k - <u>Cached</u> - <u>Similar pages</u>



register dynamically generated code Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google ©2004 Google



Web Images Groups News Froogle more »

register dynamically generated code unwind

Search Advanced Search
Preferences

Web

Results 31 - 40 of about 1,710 for register dynamically generated code unwind . (1.70 secon

[PDF] Essentials

File Format: PDF/Adobe Acrobat - View as HTML

... 2: The Common Language Runtime everyone can now see your code, unless you ... you can write a simple program to generate a .NET assembly dynamically at runtime ... www.oreilly.com/catalog/dotnet/frmess3/chapter/ch02.pdf - Similar pages

HP Caliper: A Framework for Performance Analysis Tools

... example—both program stack and register stack have ... Dynamically updating unwind information is no easy ... 6 Caliper uses compiler-generated annotations residing ... doi.ieeecomputersociety.org/10.1109/4434.895108 - Similar pages

Compiler Release Notes

... not depend on the value of this **register** being preserved ... occur are: linking **code** (either statically or **dynamically**) created with ... **Code Generation** Improvements. ... developer.apple.com/releasenotes/ DeveloperTools/GCC2,html - 23k - Cached - Similar pages

This is doc/gccint.info, produced by makeinfo version 4.2 from doc ...

... the stack pointer register to an item dynamically allocated on ... static chain is passed in a register, the two ... the machine allows code to be generated with no ... stuff.mit.edu/afs/sipb/project/ gcc-3.2/old-info/gccint.info-15 - 49k - Cached - Similar pages

[PDF] Low-Level Run-Time Systems for Generic Code Generators

File Format: PDF/Adobe Acrobat - View as HTML

... generator performs instruction selection, register allocation and ... modify, all pointers to dynamically-allocated objects ... of information are generated separately. ... www.cs.nottlac.uk/~fxr/papers/reig ismm 2002.pdf - Similar pages

Intel® C++ Compiler 8.1 for Linux Release Notes

... The compiler will now link libguide **dynamically** regardless of ... time which one of the **generated code** sections to ... pointer rather than a general purpose **register**. ... sc.tamu.edu/help/intel/8.1/C++ReleaseNotes.htm - 76k - <u>Cached - Similar pages</u>

CALL - single segment Pascal calling sequence.

... is via a goto, the following **code** is **generated**. ... the offset from an address **register** is only ... be statically allocated globally, or allocated **dynamically** via NEW. ... www.thinkage.ca/english/gcos/expl/pasc/call.html - 9k - <u>Cached</u> - Similar pages

[PDF] IA-64 Software Conventions and Runtime Architecture Guide

File Format: PDF/Adobe Acrobat

... use this pointer as a base **register** to access ... which allows external references to be bound **dynamically** without modifying the application's **code**. ... www.csee.umbc.edu/help/architecture/24535801.pdf - <u>Similar pages</u>
[More results from www.csee.umbc.edu]

[PDF] Appendix C Project Property Pages Reference

File Format: PDF/Adobe Acrobat - View as HTML

... save system memory by linking **dynamically** to MFC ... yes," the x86 processor EBP **register** is no ... the minimal rebuild is incorrectly **generated code** resulting from ... www.ddj.com/dotnetbook/chapters/appendix_c.pdf - <u>Similar pages</u>

3 Flow Control

... if an address for such an argument must be **generated**. ... function result is returned in a **register**, the result ... first argument item or else **dynamically**, as defined ... www.cs.arizona.edu/computer.help/ policy/DIGITAL_unix/AA-PY8AC-TET1_html/callCH3.html - 72k - <u>Cached</u> - <u>Similar pages</u>

register dynamically generated code Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google ©2004 Google